



Factory

ANHUA 安华磨具
www.glasstools.cn 专注研磨抛光



安华公司创立于1990年，自成立以来一直致力于玻璃磨具的研发与生产，已成为集生产、研发、销售为一体的综合型企业。

公司技术力量雄厚，拥有先进的生产设备和一班富有经验的研发人才，所研发的玻璃磨具已取得多项技术突破，填补了国内玻璃磨具行业的技术空白。

通过了ISO9001:2000和德国MPA质量认证，产品质量稳定，性价比高，深得客户的认同与信赖，公司拥有一支专业的销售及售后服务队伍，同时坚持简单、快捷的配送方式，竭诚服务各大玻璃深加工企业。

“品质保证、客户受益”是安华的一贯宗旨，对客户负责，对产品负责是安华一贯的服务态度，欢迎海内外朋友与安华开展友好合作，共创美好未来。

We, ANHUA company, established in 1990, which have dedicated to researching and manufacturing all kinds of glass abrasives since the foundation and have been a leading enterprise integrated researching, producing and marketing in this field.

Supported by powerful technology, adopting advanced equipments and having a rich-experienced technology developing team, we have obtained many breakthroughs and filled the space in the field of domestic glass abrasives line.

Approved by ISO9001:2000 and Germany MAP quality systems, our products with stable quality and at competitive prices have got high reputation from customers all over the world. Meanwhile, we are holding a professional sales and service team and insisting on simply and convenient delivery means to satisfy our customers 100%.

"Quality guarantee, benefit to customers" is our main principle. To extremely think highly of the quality and of our customers as well is our forever service policy. Welcome all friends at home and abroad to build good business relationship with us and have win-win futures.

Certificate



碗形、杯形金刚石磨轮

Diamond Wheel for Straight-line Edging Machine & Beveling Machine

		
A1 全齿金刚轮 Segmented Diamond Wheel	A2 内齿金刚轮 Inside-segmented Diamond Wheel	A3 外齿金刚轮 Outside-Segmented Diamond Wheel
		
A4 杯形金刚轮 Diamond Cup Wheel	A5 杯形金刚轮 Diamond Cup Wheel	A6 杯形金刚轮 Diamond Cup Wheel
		
A7 灯杯专用金刚轮 Special Diamond Wheel for Lamp chimney	A8 碗形金刚轮 Diamond Wheel (bowl shape)	A9 圈形金刚轮 Diamond Wheel (ring shape)

金刚石碗形及杯形磨轮适用于国产及进口直边机、直线斜边机和异形斜边机。

The kind of diamond cup wheel and bowl shape diamond wheel are used for domestic and imported edging, beveling and shape-beveling grinding machine.

碗型、杯型金刚轮规格参数 Technical Specification Size:(mm)

编号 Code	外径 D	孔径 H	工作层尺寸 Actual Work Rim Size	粒度 G	用途 Application
A1	150	12、50	15×10	80/100/120	用于直边机、双边机的磨削 It is used for edging machine and double edging machine.
	175	50、70	15×10	80/100/120	用于玻璃双边机的磨削 It is used for double edging machine.
A2	150	12、50	10×8	140/180/240	用于直边机、双边机的磨削 It is used for edging machine and double edging machine.
A3	150	12、22	10×8	100/140/180	用于直线斜边机的磨削 It is used for beveling machine.
A4	150	12、22	5×10	100/140/180/240	
A5	175	50、70	8×8	100/140/180/240	用于玻璃双边机的磨削 It is used for double edging machine.
	150	12、50	8×8	100/140/180/240	用于直边机的磨削 It is used for edging machine.
A6	130	12、50	8×8	180/240/320	用于直边机倒角 It is used for chamfering on edging machine.
	100	12、50	8×8	180/240/320	
A7	175	45	13×7	100	灯杯专用金刚轮 It is used for grinding lamp chimney.
	125	45	13×7	150	
A8	150	12、22	6×8	100/140/180/240	用于直线斜边机的磨削 It is used for beveling machine.
A9	150	120	5×10	80/120/140/180/240	用于灯饰玻璃、工艺玻璃的磨削 It is used on shape machine for grinding light glass, decoration glass and art glass.

注：特殊尺寸可按要求订做。

Remarks: Different specifications are available if request.

烧结金刚石磨轮





本产品分青铜烧结和树脂结合剂两大系列，产品是通过精选的原材料，运用优良的专业设备，配合全方位的技术评断以及借鉴并采纳先进的国际企业管理模式而生产的尖锐耐磨的优质的金刚石工具。

Sintered Diamond Grinding Wheel

Available in diamond-bonded series and resin-bonded series, the tools are sharp and wear-resistant which are made of selected materials by adopting advanced equipment, comprehensive technical judgment and advanced enterprise management.

磨轮参数定义

D 磨轮外径	D Wheel diameter
E 磨轮内孔处厚度	E Hub thickness at the bore
H 磨轮内孔	H Bore diameter
J 底座台阶直径	J Hub diameter
T 磨轮总高	T Total wheel height
V 斜边角度	V Bevel angle
W 边部	W Diamond section width
X 金刚石断面厚度	X Diamond section depth



平形金刚石磨轮 Diamond Wheel for Special Glass Edge Shape

		
B1 三鸭嘴边金刚轮 3-OG Diamond Wheel	B2 全齿斜坡金刚轮 Segmented Miter Diamond Wheel	B3 45° 斜坡轮 45° Miter Diamond Wheel
		
B4 直线圆边/直边金刚轮 Diamond Wheel (Pencil/Flat with Arris)	B5 直线圆边/直边金刚轮 Diamond Wheel (Pencil/Flat with Arris)	B6 小直线圆边/直边金刚轮 Diamond Wheel (Pencil/Flat with Arris)
		
B7 圈形金刚轮 Diamond Wheel (ring shape)	B8 平行金刚轮 Diamond Flat Edge Wheel	B9 单鸭嘴边金刚轮 OG Diamond Wheel
		
B10 异形边金刚轮 Special Shape Diamond Wheel	B11 波浪边金刚轮 Wave Edge Diamond Wheel	B12 梯形边金刚轮 Trapezoid Diamond Wheel

平行金刚石磨轮 Diamond Wheel for Special Glass Edge Shape




平行金刚轮规格参数 Technical Specification Size:(mm)



编号 Code	外径 D	孔径 H	玻璃厚度 T	粒度 G	用途 Application
B1	100、150	22	10、12、15、19	80、240	用于三鸭嘴边的磨削 It is used for rough grinding of 3-OG shape.
B2	100、150	22	10、12、15、19	80、100、140、180、240	用在鸭嘴边金刚轮前， 可减少鸭嘴轮的损耗。 It is used for shape edge before OG wheel and can reduce the waste of OG wheel
B3	100、150	22	8、10、12、15、19	80、100、140、180、240	用于直线圆边/直边的磨削 It is used for straight-line pencil edge/fat edge with axis
B4/B5/B6	35、50、100、150、175、200	22、50	3、5、6、8、10、12、15、19、25	80、140、180、240	用于汽车玻璃的磨削 It is used for automobile glass
B7	175	130	25	160、180、220	用于异形玻璃的磨削 It is used for shape edge machine
B8	100、150	22	订做	80、100、140、180、240	用于鸭嘴边的磨削 It is used for rough grinding of OG shape.
B9	100、150	22	8、10、12、15、19	80、100、140、180、240	用于异形玻璃的磨削 It is used for shape edge machine
B10	100、150	22	订做	---	用于数控玻璃刻花机 It is used for CNC engraving machine.
B11	100、150	22	订做	---	
B12	100、150	22	订做	---	
B13	100、150	22	订做	---	
B14	100、150	22	订做	---	
B15/B16	100、150	22	3、5、6、8、10、12、15、20、25	---	

注：特殊尺寸可按要求订做。
Remarks: Different specifications are available if request.

平行金刚磨轮工件图 Technical Specification



金刚石树脂抛光轮 Diamond Resin-bonded Wheel

		
C1 杯形树脂轮 Resin Cup Wheel	C2 杯形树脂轮 Resin Cup Wheel	C3 杯形树脂轮 Resin Cup Wheel
		
C4 杯形带齿树脂轮 Resin Cup Wheel (turbo)	C5 碗形树脂轮 Resin Wheel(Bowl Shape)	C6 碗形带齿树脂轮 Bowl Resin Wheel(Turbo)
		
C7 碗形树脂轮 Resin Wheel(Bowl Shape)	C8 碗形带齿树脂轮 Bowl Resin Wheel(Turbo)	C9 窄边碗形树脂轮 Narrow Crown Resin Wheel
		
C10 进口碗形树脂轮 Imported Resin Wheel	C11 三色轮 Three-band Resin Wheel	C12 异形斜边树脂轮 Shape-beveling Resin Wheel

金刚石树脂抛光轮规格参数 Technical Specification Size:(mm)

编号 Code	外径 D	孔径 H	工作层尺寸 Actual Work Rim Size	粒度 G	用途 Application
C1/C3	175、150	12、50、70	10×10、15×10	180、240、320	用于双边机、直边机 It is used for edging machine and double edging machine.
C2	130、100	12、50	10×10	180、240、320	用于直边机倒角 It is used for chamfering on straight-line edging machine.
C4	150	12、22	20×10	3#——7#	用于斜边机 It is used for beveling machine.
C5/C7/C10	150	12、22	16×10		
C6/C8	150	12、22	16×10		
C9	150	12、22	10×10		
C11	150	12、22	16×10	粗、中、细	用于异形斜边的磨削 It is used for shape-beveling machine.
C12	150	22	16×10	240	用于异形斜边的磨削 It is used for shape-beveling machine.

注：特殊尺寸可按要求订做。

Remarks: Different specifications are available if request.

金刚石树脂抛光轮介绍:

Resin Wheel

公司采用优质金刚石、结合剂为原材料，引进先进的国内外优良设备及工艺，经高温热压成形，适用于各种国产进口直斜边机，双边机及异形机的精磨工序；严格质量管理、检验控制。产品性能优良稳定，质量达到同行业较高水平，部分产品可与国外同类产品相媲美，并出口到多个国家和地区。

The wheels are made of high quality diamond materials and adhesives by adopting thermal processing , introducing in advanced equipment and technology, it's used for fine grinding which suits for domestic and imported straight-line edging machine, beveling machine, double edging machine and shape grinding machine

Our products have a leading quality level compared with other producers in this line, and some series have matched similar ones abroad. Moreover, we have exported our products to many countries and regions.

磨轮参数定义

D 磨轮外径	D Wheel diameter
E 磨轮内孔处厚度	E Hub thickness at the bore
H 磨轮内孔	H Bore diameter
J 底座台阶直径	J Hub diameter
T 磨轮总高	T Total wheel height
V 斜边角度	V Bevel angle
W 边部	W Diamond section width
X 金刚石断面厚度	X Diamond section depth

