



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Адрес

elumatec AG Emmegi Group Pinacher Straße 61 75417 Mühlacker

# ПРОДУКТЫ / МАШИНЫ

Inspection and glazing unit for glazing and final inspection in individual and serial assembly line production

### Fully automatic glass handling system

#### Description

Eliminates search and sorting tasks
Continuous material flow in the window production process
Safeguards the delivered quality of the glass
Module arrangement for integration into any size of operation with variable buffer capacities
Expansion options for foreseeable capacity increases

# Technical specifications

Min. glass pane size, 240 x 240 mm
Max. glass pane size, 2,500 x 2,500 mm
Min. glass pane thickness, 12 mm
Max. glass pane thickness, 52 mm (double and triple glazing)
Max. glass pane weight, 250 kg
Further automatic buffer and stacking systems on request

Contact

## Company Profile of elumatec AG

A service of glassglobal.com, an affiliate of glassglobal group.

Адресный материал, который Вы распечатали, является авторским правом и принадлежит Компании или третьему лицу ее Маркетинговой Службы, и все права сохранены. Любой Пользователь, который получает доступ к такому материалу, может делать это только в целях личного пользования, и использование такого материала представляет исключительный риск для Пользователя. Перераспределение или другая коммерческая эксплуатация такого адресного материала запрещены. Где такой адресный материал обеспечен третьим лицом, каждый Пользователь согласен соблюдать и быть связанным с определенными условиями использования, относящимися к такому материалу новостей. Glass Global не представляет и не подтверждает точность или надежность любой информации, содержащейся на любых адресных или внешних веб-сайтах, упомянутых в этой распечатке. www.glassglobal.com - Международный Портал для Стекольной Промышленности - OGIS GmbH